




# Why Ethers Boil Like Alkanes


The structural paradox of polar molecules with non-polar physical properties.



Low Boiling Point

A Molecular Dossier

# The Electronegativity Gap: Polar C–O Bonds




## Weak Polarity

Because Oxygen is significantly more electronegative than Carbon, the shared electron cloud is pulled toward the center.

**Expectation:** A polar molecule with strong intermolecular forces.

# Asymmetric Geometry Creates a Net Dipole Moment



**Takeaway:** The asymmetric, bent shape prevents the polar bonds from canceling each other out. Ethers are definitively polar molecules.



# You've Learned the Theory. Let's Test Them Now.

$$E=mc^2$$



Turn theory into marks with **unlimited MCQs, smart analysis, and focused revision.**

**Practice Now**



At [prep.topall.app](https://prep.topall.app)


## Key Highlights

- » Free Study Material, Videos & Infographics
- » Push Your Limits with Level-Based Challenges
- » Climb the Leaderboard Among Fellow Aspirants
- » Practice Unlimited MCQs for NEET & JEE
- » Get Clear Explanations, Not Just Marks
- » Track Your Performance Smarter



# The Boiling Point Paradox

## n-Pentane



Non-polar Alkane


Molar Mass: ~72 g/mol



**B.P: 309.1 K**




## Ethoxyethane



Weakly Polar Ether


Molar Mass: ~74 g/mol



**B.P: 307.6 K**



## Butan-1-ol



Highly Polar Alcohol

Molar Mass: ~74 g/mol




**B.P: 390.0 K**



Note: Despite its net dipole, ether behaves macroscopically like an alkane.

# The Missing Link: No Self-Hydrogen Bonding



Ethers lack the highly polar O–H bonds required to form intermolecular hydrogen bonds with themselves. They rely only on weak van der Waals forces and weak dipole interactions, resulting in low, alkane-like boiling points.

# The Solubility Exception: Hydrogen Bonding with Water

Miscibility per 100mL water:  
Ethoxyethane (7.5g) vs. Butan-1-ol (9g).  
n-Pentane is essentially immiscible.



While ethers cannot hydrogen-bond with themselves, their oxygen lone pairs successfully accept hydrogen bonds from water molecules. This specific 'lock and key' interaction grants them high solubility, matching that of comparable alcohols.

# The Molecular Dossier: Synthesis

## Ether Functional Group (R-O-R)

- Bent Geometry
- Lacks O-H Donors
- Has 0 Lone Pairs

Net Dipole Moment  
(Weak Polarity)

No Self H-Bonding → Low  
Boiling Point (Alkane-like)

Accepts Water H-Bonds → High  
Solubility (Alcohol-like)

**Key Takeaway:** Macroscopic physical properties are not governed by simple 'polar vs. non-polar' labels, but **by strict structural rules dictating how molecules interact with themselves versus their solvent.**



# You've Learned the Theory.

## Now Let's Test It.

Reading notes gets you knowledge.

**Practicing MCQs gets you marks.**

**That's exactly what TopAll Pro is built for.**

**Try TopAll Pro Now**

### What TopAll Pro Does Differently

-  **Stuck? Snap it. Solve it. — Doubts AI**  
Photo → step-by-step solution in seconds, 24/7
-  **Your AI Coach finds your blind spots**  
Concept-level weakness detection — not just chapter-level
-  **4.5 Lakh+ questions. Never run out.**  
13× more content than any other prep app in India
-  **Build your own test in 60 seconds**  
Pick a chapter, set difficulty — AI does the rest instantly.
-  **AI Recommendation that helps you improve**  
AI Recommendation Analysis your Tests and tell you where you need to improve.



**Practice the moment you finish studying**  
Jump in while the concept is still fresh in your head

**4.5L+**  
MCQs

**1.5L+**  
Students

**AI Powered**  
In-Depth Analysis