

The Architectural Triad of Carbon



Self-Linking (Catenation)

Carbon atoms covalently bond to one another, forming near-infinite continuous chains, branched structures, and complex rings.



The Four-Way Anchor

With four valence electrons, a single carbon atom acts as a versatile structural junction, bonding simultaneously to four other atoms or groups.



pπ-pπ Connectivity

Carbon's small size enables highly effective lateral orbital overlap, allowing it to form stable double and triple bonds with itself, oxygen, and nitrogen.

Tetravalence: The Quantum Mechanism


Ground State (C_6)



In its lowest energy state, carbon only has two unpaired electrons. This falsely suggests it should only form two bonds.

Excitation & Hybridisation

Excited / Hybridised State



One 2s electron is promoted to the empty 2p orbital. The s and p orbitals mix to create four identical, half-filled sp^3 hybrid orbitals, perfectly primed for four equivalent bonds.



You've Learned the Theory. Let's Test Them Now.

$$E=mc^2$$



Turn theory into marks with **unlimited MCQs, smart analysis, and focused revision.**

Practice Now



At prep.topall.app


Key Highlights

- » Free Study Material, Videos & Infographics
- » Push Your Limits with Level-Based Challenges
- » Climb the Leaderboard Among Fellow Aspirants
- » Practice Unlimited MCQs for NEET & JEE
- » Get Clear Explanations, Not Just Marks
- » Track Your Performance Smarter



The Hybridisation Matrix: Mixing Dictates Geometry

sp^3 (Methane - CH_4)




Orbital Mix: $1s + 3p$

Geometry: Tetrahedral (109.5°)

Bond Profile: 4 σ bonds | 0 π bonds

Defining Trait: Complete 3D spatial distribution; single bonds only.

sp^2 (Ethene - C_2H_4)




Orbital Mix: $1s + 2p$ (one unhybridized p-orbital remains)

Geometry: Trigonal Planar (120°)

Bond Profile: 3 σ bonds | 1 π bond (per Carbon)

Defining Trait: Flat, planar structure locked by the lateral π overlap.

sp (Ethyne - C_2H_2)




Orbital Mix: $1s + 1p$ (two unhybridized p-orbitals remain)

Geometry: Linear (180°)

Bond Profile: 2 σ bonds | 2 π bonds (per Carbon)

Defining Trait: A straight structural rod surrounded by a cylinder of π electron density.

How Orbital Mixing Controls Physical Properties



Revision Frame: The Geometry Master Rule



$$\text{Hybridisation State} = (\text{Number of } \sigma \text{ bonds}) + (\text{Number of Lone Pairs})$$

Warning: π bonds NEVER participate in hybridisation. Ignore them when counting.

Quick-Look Prediction Grid

Total Count = 4



sp^3 Hybridised



Tetrahedral Geometry
(All single bonds)

Total Count = 3



sp^2 Hybridised



Trigonal Planar Geometry
(One double bond present)

Total Count = 2



sp Hybridised



Linear Geometry
(One triple OR two double bonds present)

Pro-Tip

To find the hybridization of any carbon in a complex chain, count the single bonds directly connected to it.

If it has a double bond, it's sp^2 . If it has a triple, it's sp .



You've Learned the Theory.

Now Let's Test It.

Reading notes gets you knowledge.

Practicing MCQs gets you marks.

That's exactly what TopAll Pro is built for.

Try TopAll Pro Now

What TopAll Pro Does Differently

-  **Stuck? Snap it. Solve it. — Doubts AI**
Photo → step-by-step solution in seconds, 24/7
-  **Your AI Coach finds your blind spots**
Concept-level weakness detection — not just chapter-level
-  **4.5 Lakh+ questions. Never run out.**
13× more content than any other prep app in India
-  **Build your own test in 60 seconds**
Pick a chapter, set difficulty — AI does the rest instantly.
-  **AI Recommendation that helps you improve**
AI Recommendation Analysis your Tests and tell you where you need to improve.



Practice the moment you finish studying
Jump in while the concept is still fresh in your head

4.5L+
MCQs

1.5L+
Students

AI Powered
In-Depth Analysis