


Fungal Sexual Cycle: Plasmogamy to Meiosis


Understanding the sequential progression and ploidy shifts in fungal sexual reproduction.



Categorizing Fungal Reproduction Methods

Fungi exhibit diverse reproductive strategies to adapt to their environments. The sexual cycle is one of three **primary pathways**.


Vegetative



- Fragmentation
- Fission
- Budding

Asexual

Reproduction by spores.



- Conidia
- Sporangiospores
- Zoospores

Sexual

Reproduction via fruiting bodies.




- Oospores
- Ascospores
- Basidiospores



Step 1: Plasmogamy (Protoplastic Fusion)

The sexual cycle initiates when two haploid hyphae of compatible mating types come together.

Plasmogamy: The fusion of protoplasts between two motile or non-motile gametes.





**You've Learned the Theory.
Let's Test Them Now.**

$$E=mc^2$$



Turn theory into marks with **unlimited MCQs, smart analysis, and focused revision.**

Practice Now



At prep.topall.app

Key Highlights

- » Free Study Material, Videos & Infographics
- » Push Your Limits with Level-Based Challenges
- » Climb the Leaderboard Among Fellow Aspirants
- » Practice Unlimited MCQs for NEET & JEE
- » Get Clear Explanations, Not Just Marks
- » Track Your Performance Smarter



The Dikaryophase: A Critical Exception

In some fungi, the fusion of two haploid cells does not immediately result in a **diploid cell**. Instead, an **intervening** stage occurs where the cells contain two distinct nuclei.

 **High-Yield Concept**

Dikaryon
(Condition: $n + n$)

A phase where there are strictly two distinct nuclei per cell before eventual fusion.


Target Taxa

Ascomycetes Basidiomycetes

Step 2: Karyogamy (Nuclear Fusion)

Following plasmogamy (and the dikaryophase, if applicable), the parental nuclei finally merge.


Karyogamy: The actual fusion of the two distinct nuclei.



Step 3: Meiosis (Spore Generation)

To complete the cycle and return to the primary haploid state, the diploid zygote must undergo reduction division within specific fruiting bodies.


Meiosis: Reduction division in the zygote resulting in the production of haploid spores.



(Diploid Zygote, $2n$)




$2n \rightarrow \text{Meiosis} \rightarrow n$
(Haploid Spores)




Comparative Pathways: Immediate vs. Delayed Fusion

Standard Fungi




Ascomycetes & Basidiomycetes



The Complete Sequence: NEET Revision Matrix

Master the exact chronological sequence and ploidy changes for exam day.



Exam Sequence:
Plasmogamy -> Karyogamy -> Meiosis



You've Learned the Theory.

Now Let's Test It.

Reading notes gets you knowledge.

Practicing MCQs gets you marks.

That's exactly what TopAll Pro is built for.

Try TopAll Pro Now

What TopAll Pro Does Differently

-  **Stuck? Snap it. Solve it. — Doubts AI**
Photo → step-by-step solution in seconds, 24/7
-  **Your AI Coach finds your blind spots**
Concept-level weakness detection — not just chapter-level
-  **4.5 Lakh+ questions. Never run out.**
13× more content than any other prep app in India
-  **Build your own test in 60 seconds**
Pick a chapter, set difficulty — AI does the rest instantly.
-  **AI Recommendation that helps you improve**
AI Recommendation Analysis your Tests and tell you where you need to improve.



Practice the moment you finish studying
Jump in while the concept is still fresh in your head

4.5L+
MCQs

1.5L+
Students

AI Powered
In-Depth Analysis